

## **Printline or Records Mode**

### Printline Mode

- Overview
- Input Data
  - Loading a Sample Input File
  - Repagination
  - Defining Fields
  - Mapping the Variables
  - Establishing Comparison Rules

### **Records Mode**

- Overview
- Input Data

#### **Pre-defined Variables**

Pre-defined Variables

# **FTDesign Manual V7.5**

 Theory & Decisions
 Tools & Options
 Printline or Records mode


 Design & Objects
 Masking & Font Change
 Projects
 Testing & Viewing

 Repaginator
 FTSplitDef
 Registry Update
 Special Forms

# Mapping Fields

#### Map using create extract button

This form of mapping is used when a field may exist but is not represented on this particular data file, Drag and Drop is preferable. Note that the position including length of the field is shown progressively in the bottom bar of the Data File Windows.



To map variable objects using the create extract field button:

Click the **Create extract** button  $\blacksquare$  on the toolbar. The cursor will change to an I-bar I, or stop sign  $\oslash$  if no field is yet selected. For stop sign, select a data field name from the field list (left of the printmap work area) to change to an I-bar.


• Holding down the left mouse button, highlight the characters representing the extract field in your sample data file, displayed in the printmap window.

Eucalyptus	Solutions
Level 3	
123 Branch	Road
Flowers, TH	CR 9999

• Release the mouse button to open the Create Extraction Field dialog box.

del-add1 del-add2 del-add3	Cance
del-add4	Comparison rule:
del-name	No rule:
	Compare with:

- Select the corresponding record variable from the Available fields list.
- Click **OK** to map.
- The mapped characters will be highlighted green and the variable will be linked and highlighted on the variable list.



Map using drag and drop

To map variable objects using the drag and drop method:


- Click to select the field you wish to map from the **Structure Map Pane**.
- Holding the left mouse button down, drag the variable and drop it on top of the characters representing the extract field in your sample data file, displayed in the printmap window.

Eucalyptus Solutions Level 3 123 Branch Road Flowers, TER 9999

• Left click on the field and drag to resize, or double click and change the **Column**, **Row** or **Width** values in the Extract dialog box.

Extract	? 🛛
Name: del-add2	ОК
Column: 48 🔆	Cancel
Row: 15 +	
Width: 27 +	
Rule: No rule	*
Compare:	

• The mapped characters will be highlighted green and the variable will be linked and highlighted in the variable list.



Disclaimer | Home | About Us | News | Products | Customers | Free Trial | Contact Us | Success Stories Copyright © 1995-2011 TCG Information Systems Pty. Ltd. All rights reserved.