



PDF version

FTDesign Manual V7.5

Theory & Decisions | Tools & Options | Printline or Records mode
Design & Objects | Masking & Font Change | Projects | Testing & Viewing
Repaginorator | FTSplitDef | Registry Update | Special Forms

Full PDF Manual
Enterprise V7.5 Manual
SBE V7.5 Manual

FormTrap Repaginorator

- ▶ Overview
- ▶ Loading a Sample Data File
- ▶ Entry
 - ▶ Entry
 - ▶ Header
 - ▶ Footer
 - ▶ **Data**
 - ▶ Rules
 - ▶ Properties
 - ▶ Evaluation Order of Entries
 - ▶ Evaluation Order of Areas
 - ▶ Delete an Entry, Area or Rule
- ▶ Tools
 - ▶ Running Repaginorator from Command Line


Data Area


Data is generally defined by first identifying the items you do NOT want, then accepting everything else that is not blank. After creating the header and footer, you need to identify data lines that are redundant. These are the line sets to be removed:

- Subsequent page headings
- Continued and Carried forward messages
- Underlines
- Total texts that are redundant

You can then accept all remaining lines with a simple "not blank" test.

To create a data area in your entry:

- Select **Data area** from the **Insert** menu or click the **Insert document detail line tool**  button on the toolbar.
- Highlight the line(s) in the **Mapping window** that represent a data area and release the mouse button. The data area is displayed in purple and your data area listed in the **Areas window**.



You would now set up **rules** to identify each Detail, and set all of the details you do NOT want to print (left click) **Properties, Suppress output**.

[Top](#)

[Disclaimer](#) | [Home](#) | [About Us](#) | [News](#) | [Products](#) | [Customers](#) | [Free Trial](#) | [Contact Us](#) | [Success Stories](#)

Copyright © 1995-2011 TCG Information Systems Pty. Ltd. All rights reserved.