

FormTrap Repaginator

Overview

Loading a Sample Data File

Entry

- Entry
- Header
- Footer
- Data
- Rules

Properties

- Evaluation Order of Entries
- Evaluation Order of Areas
- Delete an Entry, Area or Rule

Tools

Running Repaginator from Command Line

FTDesign Manual V7.5

 Theory & Decisions
 Tools & Options
 Printline or Records mode

 Design & Objects
 Masking & Font Change
 Projects
 Testing & Viewing

 Repaginator
 FTSplitDef
 Registry Update
 Special Forms

Properties

Once you have finished creating the areas in the entry, you can modify the entry and area properties.

Entry Properties

To modify the properties of the selected entry:

- Select the entry in the **Areas window** and click the **Properties tool** button on the toolbar, or choose **Entry** from the **Edit** menu.
- The Entry dialog box opens.
- Change the Name of the entry which should represent that being processed.
- To insert text at the beginning of each document, enter the string in the **Prepend** with text box.
- To insert text at the end of each document, enter the string in the Append with text box. This is used to insert ##NEWDOC# which resets the page number for multiple documents from one file. The next (Form Feed) option is not required after a ##NEWDOC# command. To insert another document behind this one use these commands (typically used to insert a one-page terms and conditions document behind an invoice or PO):
 - ##F#<form-name># where form-name is the name of the required form
 - 0 (record mode) or just some data such as "base page" (print line mode)
 ##NEWDOC#
- To insert a form feed at the end of each document, tick the Form feed at the end checkbox.
- Click **OK** to save the changes.

| Name: Purchase Order | |
|----------------------|---|
| Prepend with text: | |
| | |
| | |
| <u>S</u> | 2 |
| Append with text: | |
| | |
| | |
| 4 | 2 |
| | |
| Eorm feed at the end | |

Тор

Area Properties

Once the areas have been defined, you can modify their properties, including height and rules.

In the data area(s), you also have the option to suppress the output. This is the normal approach to repagination, suppress all that you do NOT want, leaving all of the remaining non-blank lines as the "keepers".

To modify the properties of the selected area:

- Select the area to modify in the Areas window and click the Properties tool button on the toolbar or choose Properties from the Edit menu.
- The Area dialog opens.

- Any can succeed At least one of the rules defined on the selected must succeed to identify this area.
- **Suppress output** option applies only to data areas. To suppress the output of the data area tick the **Suppress output** checkbox. The data area icon in the **Areas window** changes to show it will be suppressed in the output.
- Click **OK** to save the changes.

| leight: 24 | ОК | | |
|-------------------|--------|--|--|
| Rules | Cancel | | |
| All must succeed | | | |
| C Any can succeed | | | |
| | | | |

Disclaimer | Home | About Us | News | Products | Customers | Free Trial | Contact Us | Success Stories Copyright © 1995-2011 TCG Information Systems Pty. Ltd. All rights reserved.